



x'traseal®

SAFETY DATA SHEET

WP-710

XTRAFLEX 200H

REV: 01

Date: 11 JUN 2024

1. Product & Company Identification

Product Details

Product name: WP-710 XTRAFLEX 200H
Physical form: Emulsion
Odour: Mild odour
CAS No.: Mixture
Flammability: Non-flammable

Company Details

Manufacturer: Mohm Chemical Sdn Bhd
Address: No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor, Malaysia.
Tel: + 60-7-3331222
Fax: + 60-7-3320545/ + 60-7-3337919

2. Hazards Identification

Hazard Pictogram

None

Signal word: None

GHS Classification:

Not hazardous

Precautionary Statement - Prevention

No precautionary statement

Precautionary Statement - Response

P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN - Wash with soap and water.
P305+P351+P338 IF IN EYES - Rinse continuously with water for several minutes.
Remove contact lenses if present and easy to do – continue rinsing.
P333+P313 If skin irritation or a rash occurs - Get medical advice/attention.
P337+P313 If eye irritation persist - Get medical advice/attention.

Precautionary Statement – Storage

No precautionary statement

Precautionary Statement – Disposal

No precautionary statement



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919
Website: www.xtraseal.com Email: info@mochem.com



x'traseal®

SAFETY DATA SHEET

WP-710

XTRAFLEX 200H

REV: 01

Date: 11 JUN 2024

3. Composition / Hazardous Components

<u>Chemical Name</u>	<u>CAS No.</u>	<u>WT%</u>
Acrylic Polymer	NA	20-40
Calcium Carbonate	471-34-1	20 - 40%
Water	7732-18-5	Up to to 100%

4. First-aid Measures

Take off all contaminated clothing immediately.

In case of inhalation:

Move the patient at once to fresh air. Immediately consult a physician for examination and treatment.

In case of ingestion:

Induce vomiting and wash out mouth with water and give victim plenty of water to drink. Seek medical advice immediately.

In case of skin contact:

Wash the affected with plenty of running water and mild soap. If irritation continues, immediately consult a physician for examination and treatment.

In case of eyes contact:

Immediately flush eyes with water with plenty of water for at least 15 minutes. Get medical aid if irritation develops or persists.

5. Fire Fighting Measures

Flash point	Not applicable (aqueous system)
Flammable limits	Not applicable (aqueous system)
Suitable extinguishing media:	Water spray, dry chemical, alcohol Foam or Carbon Dioxide.
Unsuitable extinguishing media:	Unknown

6. Accidental release measures

Step to be taken if materials is spilled or released:	Provide adequate ventilation and clean up with water before allowing to dry. Do not discharge into drains or rivers. Observe government regulations.
Waste disposal method:	Contain spills with earth, sand, or similar stable, non-combustible material. Incinerate contaminated materials at an authorized installation.

7. Handling and Storage

Handling:	Avoid breathing vapours and use in ventilated areas.
Protection against fire/ explosion:	General rules of fire prevention should be observed.
Storage:	Store at cool dry place.

8. Exposure control / Personal protection

Ingredients with limited values to be controlled:	Not indicated.
Local exhaust:	Exhaust directly to the outside, Treatment of exhaust emission to prevent. Environmental controlling may be required.
General ventilation:	Recommended
Hand protection:	Suitable protective gloves.
Eye protection:	Safety/ protective glasses.
Respiratory Protection:	Dust mask
Skin and Body Protection:	Wear appropriate protective gloves and clothing to prevent and minimize contact with skin.



MOHM CHEMICAL SDN. BHD. (REGNO 276851-U)
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919
Website: www.xtraseal.com Email: info@mochem.com



x'traseal®

SAFETY DATA SHEET

WP-710

XTRAFLEX 200H

REV: 01

Date: 11 JUN 2024

9. Physical and Chemical Properties

Form:	liquid
Specific gravity:	1.0 – 1.2
Colour:	White
Viscosity:	-
Odour:	Mild Odour
Boiling point:	Approximate 100°C
Flash Point :	Not applicable (water born emulsion)
Vapour Pressure:	Not applicable
Vapour Density:	1.0~1.2
Solubility:	Miscible in all proportion
pH:	7~9

Note: the above information is not intended for use in preparing specification.

10. Stability and Reactivity

Chemical stability:	Stable at room temperature.
Incompatibility (material to be avoid):	None known.
Hazardous decomposition products:	Combustion may produce carbon dioxide, carbon monoxide.
Hazardous polymerization:	Will not occur.

11. Toxicological Information

Acute toxicity:	None
Local effects:	None
Sensitization:	None
Chronic Toxicity or Long Term Toxicity:	None
Specific effects:	None

12. Ecological Information

Information relevant to the impact if the material if released to the environment :

a) Acute & long-term toxicity tests on birds, fish, plants & etc.:	Not available
b) Transportation, transports & fate:	Not available
c) Potential for accumulation:	Not available

13. Disposal considerations

Dispose the waste matters and contaminated packaging following law, rules and regulations.
Dispose to an authorised waste collection point.
Do not cast waste (waste fluid, solid waste and washing drainage etc.) that includes this product directly into a river, or bury it underground.



MOHM CHEMICAL SDN. BHD. (REGNO 276851-U)
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919
Website: www.xtraseal.com Email: info@mochem.com



x'traseal®

SAFETY DATA SHEET

REV: 01

Date: 11 JUN 2024

WP-710

XTRAFLEX 200H

14. Transport Information

Shipping Information

- a) Proper shipping name: Not applicable.
b) UN or NA number : Not applicable.
c) Classification or hazard class: None Toxic.

This product is not classified as dangerous goods according to the international regulation for transport by land, inland waterway, sea and air.

15. Regulatory Information

Labeling (EC): This product is not subject to the labeling requirements of EC directives.

16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

*** End Of SDS ***