



# MS-609

MS ADVANCED POLYMER SEALANT



# x'traseal®

## SAFETY DATA SHEET

REV: 07

Date: 30 April 2024

### 1. Product & Company Identification

#### Product Details

**Product name:** MS-609 MS Polymer Adhesive / Sealant - X'Grip  
**Physical form:** Paste  
**Odour:** Odourless  
**Colour:** Various  
**CAS No.:** Mixture

#### Company Details

**Manufacturer:** Mohm Chemical Sdn Bhd  
**Address:** No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor, Malaysia.  
**Tel:** + 60-7-3331222  
**Fax:** + 60-7-3320545/ + 60-7-3337919

### 2. Hazard(s) Identification

#### Hazard Pictogram

None

**Signal word:** None

#### GHS Classification:

Not hazardous

#### Precautionary Statement - Prevention

No precautionary statement

#### Precautionary Statement - Response

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN - Wash with soap and water.

P305+P351+P338 IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P333+P313 If skin irritation or a rash occurs - Get medical advice/attention.

P337+P313 If eye irritation persist - Get medical advice/attention.

#### Precautionary Statement - Storage

No precautionary statement

#### Precautionary Statement - Disposal

No precautionary statement



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)  
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
Website: www.xtraseal.com Email: info@mochem.com



# MS-609

## MS ADVANCED POLYMER SEALANT



# x'traseal®

# SAFETY DATA SHEET

REV: 07

Date: 30 April 2024

### 3. Composition / Information on ingredients

Chemical Name	CAS No.	WT%
Trimethoxyvinylsilane	2768-02-7	1-5%

### 4. First-aid Measures

Take off all contaminated clothing immediately.	Seek medical advice immediately.
In case of ingestion:	Wipe with paper towel and immediately clean with water and soap.
In case of skin contact:	Immediately flush with water for several minutes, seek medical advice if necessary.
In case of eyes contact:	

### 5. Fire Fighting Measures

Suitable extinguishing media:	All standard fire-fighting media.
Unsuitable extinguishing media:	Unknown
Hazardous decomposition:	Carbon dioxide, carbon monoxide, silicone dioxide and nitrogen oxides and formaldehyde.

### 6. Accidental release measures

Methods for cleaning up:	Take up mechanically. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)
Human related safety precautions:	Ensure adequate ventilation

### 7. Handling and Storage

Handling:	Avoid contact with eyes and skin. Ensure good ventilation during processing. Wear safety shoes.
Protection against fire/ explosion:	General rules of fire prevention should be observed.
Storage:	Keep container tightly closed and dry.
Cautions:	Extreme heavy in drum form if product packed in 200L drum.

### 8. Exposure control / Personal protection

Ingredients with limited values to be controlled:	Not indicated.
Local exhaust:	Recommended
General ventilation:	Recommended
Hand protection:	Suitable protective gloves.
Eye protection:	Safety/ protective glasses.
Flammability:	Combustible
Note: Until more data is known, exposure levels should be maintained as low as achievable.	



MOHM CHEMICAL SDN. BHD. (REGNO 276851-U)  
 No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
 Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
 Website: www.xtraseal.com Email: info@mochem.com



# MS-609

MS ADVANCED POLYMER SEALANT



# x'traseal®

## SAFETY DATA SHEET

REV: 07

Date: 30 April 2024

### 9. Physical and Chemical Properties

<b>Form:</b>	<b>Paste</b>
<b>Specific gravity:</b>	<b>1.57 ± 0.05</b>
<b>Colour:</b>	<b>Various</b>
<b>Viscosity:</b>	<b>Highly viscous</b>
<b>Odour:</b>	<b>Odourless</b>
<b>%Volatile by volume (25°C):</b>	<b>&lt; 5%</b>
<b>Solubility in water:</b>	<b>Insoluble</b>
<b>Boiling point:</b>	<b>Not Applicable.</b>
<b>Flash point:</b>	<b>&gt; 100°C</b>
<b>Ignition temperature:</b>	<b>Not Applicable.</b>
<b>Solubility in water(20°C):</b>	<b>Insoluble</b>
<b>Vapour pressure:</b>	<b>Not Applicable.</b>
<b>Solubility in organic solvent:</b>	<b>Toluene.</b>

Note: the above information is not intended for use in preparing specification.

### 10. Stability and Reactivity

<b>Chemical stability:</b>	<b>Stable</b>
<b>Incompatibility (material to be avoid):</b>	<b>None known.</b>
<b>Conditions to be avoid:</b>	<b>None known.</b>
<b>Dangerous reactions:</b>	<b>None known.</b>
<b>Dangerous products of decomposition:</b>	<b>None known.</b>
<b>In case of fire, carbon dioxide, carbon monoxide, silicone dioxide and nitrogen oxides and formaldehyde.</b>	

### 11. Toxicological Information

<b>Acute toxicity:</b>	<b>Not determined</b>
<b>Primary irritant effect, On the skin:</b>	<b>Irritant for skin and mucous membranes.</b>
<b>On the eye:</b>	<b>Irritant effect</b>
<b>Sensitization:</b>	<b>Sensitization possible by inhalation.</b>
<b>Additional Toxicological information:</b>	<b>Until more data is known, exposure levels should be maintained as low as achievable.</b>

### 12. Ecological Information

Complete information not yet available.

### 13. Disposal considerations

Dispose the waste matters and contaminated packaging following law, rules and regulations.  
 Dispose to an authorised waste collection point.  
 Do not cast waste (waste fluid, solid waste and washing drainage etc.) that includes this product directly into a river, or bury it underground.



MOHM CHEMICAL SDN. BHD. (REGNO 276851-U)  
 No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
 Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
 Website: www.xtraseal.com Email: info@mochem.com



# MS-609

MS ADVANCED POLYMER SEALANT



# x'traseal®

## SAFETY DATA SHEET

REV: 07

Date: 30 April 2024

### 14. Transport Information

Proper shipping name: Sealant  
Hazard technical name: Not available.  
Hazard class: Not available.  
No dangerous goods under the transport regulation.

### 15. Regulatory Information

Labeling (EU Directives): This product is not subject to the labeling requirements.

### 16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

\*\*\* End Of SDS \*\*\*



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)  
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
Website: www.xtraseal.com Email: info@mochem.com